

Index

A

Abrasive disc wheels	16–17, 78
mounting	39–40, 94
Abrasive flap disc wheels	23
Abrasive wheel	1, 89
Portable air grinding machines	26
Acceptance of shipment	27
Actuating controls	1
Adaptor	90, 96
Adaptor flanges.....	76, 78, 83, 84, 85, 86
Adjustable guard.....	36
Adjustable tongue spark arrestor.....	58, 59, 61
Airborne contaminants.....	49
control.....	109
Anchor mounted discs.....	16
Arbor.....	1
Arbor hole <i>See Holes</i>	
Assemblies	3

B

Balance.....	77, 112–113
Ball grinding.....	12, 100, 101
Band type guard	52, 66, 68, 96
Barrier.....	1
shield	9
Base	1
Bench grinder	12, 32, 57, 68, 76–77, 78, 82
Bins, storage.....	27, 29
Blade tensioning	1, 103, 106
Blotters.....	2, 75, 76, 78–79, 79, 80, 90
Boxes, storage.....	27, 29
Burr grinding.....	14 <i>See also Grinding, rotary tool (burr)</i>
Bushings.....	82, 83
cup back	52, 83
reducing.....	7, 90
threaded.....	10, 21, 25

C

CBN wheel.....	79, 100, 102, 107
Center.....	2
Centerless O.D. grinding.....	12, 14, 17, 101
Chuck	2, 96, 97
collet	2
Coated abrasive tool.....	2
Collet	2, 38, 95, 118
Component.....	2
Compressible washer <i>See Blotters</i>	
Concrete saws and sawing.....	12, 64, 73, 102
Cone wheels.....	21, 72, 88
Configuration	2
Contour grinding.....	12, 114

Controls	
actuating	1
direction	43–45
foot	46
hand wheel	45
lever	44
operator	2
push button	44
Control systems	2, 47–49
Conversion table—wheel speeds (SFPM)	132
Coolant	2, 49, 113
Corner clearance ('C' dimension)	17
Cover, movable	2
Creep feed grinding	12
Cup back bushings <i>See Bushings</i>	
Cup wheel	72
Cup wheel guards	52
Cutting off	12, 15, 22
Cutting-off wheels	24, 51, 54, 64, 65, 66, 70, 72, 73–74, 74, 79, 82, 89, 90, 103, 106
Cylinder wheels	18, 72, 79, 96, 97
Cylindrical O.D. grinding	12, 17, 62
work support	37

D

Definitions	1–26
Depressed center wheels	22–23, 23
Design	2
Device	3
auxiliary	3
safety	3
Diameter of spindle	32
Diamond wheel	79, 89, 90, 100, 102, 103, 107
Direction arrows	33
Discard size	115–116
Discrete parts	3
Dish wheels	20
Double recessed wheels	19
Drawn steel guard	51, 52, 53, 54, 55
Dressing	3, 109, 113
Driving action	79
Driving flange	79–80, 81, 82, 83, 84, 85

E

Enclosure, additional	3, 111
Exhaust	42
Exhaust zone	3
Eye and face protection	109

F

Fire prevention and protection	46
Flanges	3, 17, 18–26, 23, 25, 26, 33, 35, 38–39, 51, 72–86, 90, 91, 96, 98, 110
adaptor	76, 78, 83, 84, 85, 86
design	76
dimensions	76

driving	79–80, 81, 82, 83, 84, 85, 86
maintenance	80
material	76
multiple screw	84, 86
repair.....	80
sleeve adaptor	76, 78, 84, 86
straight	75
straight relieved.....	3, 78, 82
straight unrelieved.....	3, 21, 25, 38, 72, 74, 83
test	76–77, 78
Flaring cup wheels.....	19
Floorstand grinder	13, 35, 59–61, 85
Form grinding	114

G

General operating rules	109–116
Grind cycle.....	3
Grinder	
angle	52, 53
bench grinder.....	32, 57–58, 68, 76–77, 78, 82
cylindrical.....	62
floorstand	13, 35, 59–61, 85
offhand.....	114
pedestal	57–58, 68, 76–77, 78
portable.....	26, 51–56, 53–56, 54, 70, 76–77, 78, 95, 118
stationary	42–49, 57–66, 66, 70
surface	62
swing frame	63, 85
vertical	52, 53
Grinding	
ball grinding	100, 101
centerless O.D.....	101
contour	114
cylindrical O.D.....	17
work support	37
form.....	114
machine	
design	31
maintenance	31
operator's responsibility	31
owner responsibility	31
supplier's responsibility	31
user responsibility	31
off-hand	
work support	37
precision	86, 112, 114
rotary tool (burr)	65
shoulder	114
side	74, 113
surface	16–26
tool	43
top.....	63
wet	113
Grinding face	4
Grinding machine	3
Grinding surface	4
Grinding wheel	1

Guard.....	4 <i>See also Safety guard</i>
adjustable barrier.....	4
band type.....	52
drawn steel.....	51, 52, 53, 54
exposure adjustment.....	58, 59
exposure angles.....	57
fixed barrier.....	4
interlocked.....	4
self-closing.....	60–61
steel construction guide.....	67–71

H

Handling.....	27, 87, 108
Hazard.....	4
Hazardous motion.....	4
Headstock.....	4
Holes.....	7, 17, 33, 39, 41, 75, 76, 78, 90, 91, 92, 94, 115
Honing tools.....	4, 43
Humidity.....	27, 28
Hydraulic pressure protection.....	47

I

Inorganic bonded wheels.....	5, 17, 25, 76, 115
Inserted nut disc.....	39, 72, 78, 88, 94
Inserted washer disc.....	39, 72, 78, 94
Inspection.....	87, 108, 109
Installer.....	5
Integrator.....	5
Interlock.....	5
Internal grinding.....	13, 50
Internal wheel.....	72, 77, 79

J

Jamming.....	114
--------------	-----

L

Lapidary.....	13, 50
Large hole inorganic bonded wheels.....	115
Lighting.....	47
Limitations of wheel shapes.....	16–26
Loading.....	46
Lubrication.....	114

M

Machine builder.....	98, 105–106, 108
Machine conversions.....	116
Machine cycle.....	5
Machine face plate.....	39, 40, 41, 96
Machine maintenance.....	114
Machine manufacturer.....	5
Machine spindle	
rotation.....	33
thread.....	33
Machine supplier.....	5
Machine user.....	16, 106

Maintenance	5
Mandrel.....	117, 118
Manufacturer.....	5, 105, 106, 109
Masonry saws and cutting	13, 64, 73, 102
Mechanism	6
Metal bonded wheels.....	5, 24, 102
Metal centers	24, 50, 89, 107
Modification	6
Modifier	6
Mount design	
abrasive discs	39
plate mounted type discs	41
Mount down	6
Mounted wheels	25, 72, 78, 88, 95, 100, 102, 106, 107, 117, 118
Mounting.....	16–17, 39, 41, 78, 79–80, 87, 109, 116
multiple screw	84, 86, 93
nut.....	33, 91, 91–93
screws.....	91
Mount up.....	6
Multiple screw flange	84, 86, 93
Multiple screw mounting	84, 86
Multiple wheel mounting	79–80

N

Noise	49
Normal operation.....	6
Nose, spindle.....	6

O

Offhand grinder.....	114
Off-hand grinding.....	13
work support	37
Operator	6
Organic bonded wheels	6, 8, 22, 24, 25, 29, 74, 83, 85, 96, 101, 107, 107–108, 113

P

Pedestal grinder.....	13, 57, 68, 76–77, 78
Peripheral member	7
Personal protective equipment	109
Personnel.....	7
instructed	7
skilled.....	7
Pin, drive.....	7
Pistol grip pneumatic sander	14
Plate mounted discs	72, 78, 88, 94–95, 100, 101, 102, 106, 107
mount design	41
Plug wheels	21, 88
Pneumatic pressure protection	47
Point of operation.....	7
Portable grinders	25, 26, 37, 53–56, 54, 76–77, 78, 95, 118
Portable grinding	51, 70
Portable, hand held tools.....	91
Portable saws	15, 73, 82
Portable wheel.....	72
Power.....	42, 42–43, 47–48

Precision grinding	14, 86, 112, 114
Pressure	114, 118
Projecting studs	72, 78
Projecting stud type discs	17, 18, 39, 88, 94
Prong anchor bushing.....	83
Protective clothing.....	109

R

Racks, storage.....	28
Rebuilder	7
Rebuilding.....	7
Recessed one side wheels.....	18
Recessed wheels	22, 80
Recess of flanges	78
Reconstruction.....	7
Reconstructor	7
Reducing bushings	7
Regulating wheel	12, 14, 101
Reinforced wheels	8, 22, 23, 24, 25, 50, 74, 96
Relieved wheels.....	22
Repair	8
Resin bonded wheels	6, 102
Responsibility	
machine builder's.....	98, 108
operator	31
owner	31
supplier	31
user.....	31, 98, 108, 109
speed adjustment control.....	104
speed check of machines	104
wheel manufacturer	100–103, 106
Revolutions per minute (RPM).....	8, 36, 89, 98, 102, 104, 106, 110
Revolving cup guards	52
Ring test	87
Rotary tool (burr) grinding.....	65
Rotary tool grinding	14
Rubber bonded wheels.....	6
Run	8

S

Safeguarding	8
Safety guard	3, 8, 16, 31, 35, 42–49, 46, 49, 50, 95, 96, 97, 98, 105, 111, 114, 116
maintenance	53
strength.....	53
Saucer wheels.....	20
Saw gumming.....	15
Sawing	
concrete	12, 102
wall.....	16
Saws, portable.....	15, 82
Scope of safety standard.....	1
Screw, mounting <i>See Mounting</i>	
Segment	103
Segmental wheel	72, 79, 100, 101, 102, 106, 107
Segment attachment testing.....	103–104
Segments	8, 88, 97, 100, 102, 106, 107

Setup	8
Shall.....	9
Shapes of wheels	16–26
Shellac bonded wheels.....	6
Shelves, storage	28
Shield.....	9
Should	9
Shoulder grinding	114
Side grinding.....	17, 22, 74, 113
Side handles.....	39
Silicate bonded wheels.....	5
Sleeve adaptor flanges	76, 84, 86
Sleeve type flanges	3, 78
Slippage.....	76, 79, 91, 93
Slotting.....	15
Snagging	13, 15, 17, 83, 85, 115
Snagging machines	63, 84
Solvents	27
Spacers	79–80, 94
Spark arrestor <i>See Adjustable tongue spark arrestor</i>	
Speed	89–90, 98, 105, 116
marking.....	102
rotational	14
special.....	100, 105
standard.....	98, 100, 117
testing	100, 101
wheel operating	11, 50, 110
Speed adjustment control.....	104
Speed check of machines	104
Spindle.....	9, 32, 38, 51, 57, 58, 59, 62, 65, 75, 76, 79, 80, 90, 91, 94, 96, 98, 110
diameter	32
nose	37
speed.....	35–37, 89, 110
thread	
direction	94
length	33
tolerance	
3 inches and larger	32
up to 3 inches.....	32
Splash shield	9
Stationary grinders	42–49, 57, 66, 70
Station, work.....	9
Steel centered wheel	102, 103, 106
Steel disc wheels.....	39–41, 73, 94
core thickness.....	74
Steel rings.....	9, 115
Step-cutting procedure.....	73–74
Storage	27, 27–30, 87, 108
Straight cup wheels	18
Straight flanges.....	75
Straight relieved flanges	3, 78, 82
Straight unrelieved flanges	3, 21, 25, 72, 74, 83
Straight wheels	63
Strength of wheels.....	113
Stresses.....	72, 76, 77, 80, 112
Superabrasive wheels	102
Supervised	9

Supervisor	9
Supplier	9
Surface feet per minute (SFPM)	10, 32, 35, 36, 50, 58, 61, 70, 83, 84, 85, 89, 98–104, 100, 106, 110, 117
Surface grinder	62
Surface grinding	15, 17
Swing frame grinder	63, 85

T

Tables of maximum operating speeds	119
Tape winding	10
Temperature	27, 28
Tension speed	90, 110
Terrazzo	26, 72, 79
Test for organic bonded wheels	107
Test for vitrified bonded wheels	106
Threaded hole cup wheels	25
Threaded hole wheels	35, 37, 50, 94
Threaded insert	72, 83
Tool and cutter grinding	15
Torque	93
Transmission	10
Traverse, rapid	10
Trip	10
Tripdogs	46
Truing	11, 109, 113
Tuck pointing	15
wheels	25, 51
Type <i>See Wheel type</i>	

U

Undercut of flanges	78
Unintended operation	11
User	11
Users of wheels and machines	16, 98, 106, 108, 109

V

Valve	16
Variable speed machines	104, 110
Vibration	111–112
Vibration test	89
Vitrified bonded wheels	5, 87, 100, 102, 106

W

Wall saws and sawing	16, 65, 73
Water	27
Wet grinding	113
Wheel	
adaptors	32, 90
breakage	110
definitions	16–26
diameter	35
discard size	115–116
limitations	16–26, 35, 36
manufacturer	100–103, 105, 106, 109

operating speed	11
safety guard	16
sleeves	32, 90
specification	116
speed	35, 110
strength	27, 98, 105, 107
user	16, 106
Wheel manufacturer	5
Wheel type	
abrasive disc	72, 78, 89, 94
abrasive flap disc	23
CBN	79, 100, 102, 107
cone	21, 72, 88
cup	72
cutting-off	24, 51, 54, 64, 65, 66, 70, 72, 73, 74, 79, 82, 89, 90, 103, 106
cylinder	18, 72, 79, 96, 97
depressed center	22, 23, 53
diamond	79, 89, 90, 100, 102, 103, 107
dish	20
double recessed	19
flaring cup	19
internal	72, 77, 79
mounted	25, 72, 78, 88, 95, 100, 102, 106, 107, 117, 118
plug	21, 88
portable	72
recessed	22, 80
recessed one side	18
regulating	14, 101
relieved	22
saucer	20
segmental	72, 79, 88, 100, 101, 102, 106, 107
steel centered	102, 103, 106
straight cup	18
threaded hole cup	25
tuck pointing	25, 51
Type 1 straight wheels	16, 25, 29, 50, 51, 54, 72, 73, 79
Type 2 cylinder wheels	16, 18, 78, 96
Type 5 recessed one side wheels	18, 29
Type 6, modified	26
Type 6 straight cup wheels	10, 18, 25, 52, 55, 72, 77, 79, 94
Type 7 double recessed wheels	19, 29
Type 11 flaring cup wheels	10, 19, 25, 29, 52, 55, 72, 77, 79, 94
Type 11, modified	26
Type 12 dish wheels	20
Type 13 saucer wheels	20
Type 27 abrasive flap disc wheels	23, 74, 75, 77, 79, 96
Type 27A depressed center wheels	23, 72, 74, 79
Type 29 wheels	23, 53, 55, 72, 74, 77, 79, 96
Types 16, 17, 18, 18R and 19 cone and plug wheels	21, 50, 94
Types 20, 21, 22, 23, 24, 25, 26 recessed	22, 29
Types 20, 21, 22, 23, 24, 25, 26 relieved	22, 29
Types 27 and 28 depressed center wheels	22, 53, 55, 72, 74, 77, 79, 96
valve seat	50
Wheel type for machine	116
Wire winding	10
Work cradle	37
Workpiece	11

Work pressure 118
Work rest 114 *See also Work support*
 work cradle 37
Work station..... 9
Work support..... 36, 46
 cylindrical O.D. grinding 37
 off-hand grinding 37

Z

Zone exhaust system..... 11